

CANADA • MATERIAL SAFETY DATA SHEET**IDENTITY: BAKER'S ALL-WEATHER SEWER RAT
BAIT BLOCKS®**

HMIS Rating

Health: 1

Flammability: 1

Reactivity: 0

P.C.P. No. 17597

Active Ingredient Chemical Name: Diphacinone

Chemical Family: Indandione

Personal Protection: Safety Glasses
and Rubber Gloves**SECTION I**Manufacturer's Name:
J.T. Eaton & Company, Inc.Emergency Telephone Number: **1-800-664-9042** or
Contact Your Local Poison Control CenterAddress: 1393 East Highland Road
Twinsburg, Ohio 44087Telephone Number for Information:
9 AM to 5 PM EST - 330-425-7801

Prepared By: Bart Baker

Date Prepared: April 22, 2005

SECTION II - Hazardous ingredients/Identity Information

Hazardous Components (<i>Specific Chemical Identity: Common Name(s)</i>)	OSHA PEL	ACGIH TL	Other Limits Recommended	% (optional)
2-(Diphenylacetyl) 1, 3-indandione Diphacinone, CAS No. 82-66-6 C ₂₃ H ₁₆ O ₃ Balance of Ingredients are inert and non-hazardous	N/A	N/A	N/A	0.005%

SECTION III - Physical/Chemical Characteristics

Boiling Point: N/A	Specific Gravity (<i>H₂O = 1</i>): N/A	Bulk Density: 42 lb.ft ³
Vapor Pressure (<i>mm Hg.</i>): N/A	Melting Point: >125°F	
Vapor Density (<i>AIR = 1</i>): N/A	Evaporation Rate (<i>Butyl Acetate = 1</i>): N/A	
Solubility in Water: Negligible	% Volatile: Negligible	
Appearance and Odor: Green Paraffin Blocks	Characteristic odor: Molasses/Peanut Butter odor	

SECTION IV - Fire and Explosion Hazard InformationFlash Point (*Method Used*) - 450°F ASTM D 93 Flammable Limits - N/A LEL - N/A UEL - N/AExtinguishing Media: Dry Chemical, CO₂ and foam. Apply to burning area.

Special Fire Fighting Procedures: Product will melt and flow, contain material to reduce spread.

Unusual Fire and Explosion Hazards: Self contained breathing apparatus (full face piece) and protective clothing is advised.

SECTION V - Reactivity Data

Stability: Stable Incompatibility: Incompatible with Alkalies.

Hazardous Polymerization: None. Incomplete burning can produce carbon monoxide, carbon dioxide and other harmful products.

Conditions to Avoid: None

SECTION VI - Health Hazard Data

Route(s) of Entry: Inhalation? - No Skin? - Yes, slight. Ingestion? - Yes

Health Hazards (*Acute and Chronic*): May reduce clotting ability of blood and cause bleeding in extreme cases. Initial symptoms may include back pain, vomiting, attacks of nose bleeding and gum bleeding, pallor. *Acute*: Oral LD₅₀ = 2.3 mg/kg (rats) for Diphacinone Technical at 98% Active Ingredient. (Equivalent to 46,000 mg/kg of J.T. EATON® SEMI-PERMANENT BAIT BLOCKS® RODENTICIDE.)

Carcinogenicity: - No NTP? - No IARC Monographs? - No OSHA Regulated? - No

Medical Conditions Generally Aggravated by Exposure: Bleeding Disorders.

Emergency and First Aid Procedures:

Eyes: Immediately flush eyes with plenty of water for at least 5 minutes.

Skin: Immediately wash with soap and water then flush with running water for at least 5 minutes.

Inhalation: None.

Ingestion: Induce vomiting by drinking 1 to 2 glasses of water and touching back of throat with a finger or a blunt object. Do not give anything by mouth or induce vomiting in an unconscious patient. Call a physician immediately. Administer Vitamin K₁ intramuscularly or orally as indicated in Bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

