

## SPECIMIEN LAISEL

# **INSECT SPRAY**

For Indoor and Outdoor Use Ready-To-Use · Water-Based · Kills on Contact Long-Lasting Keeps Killing for up to 16 Weeks No Oily (Greasy) Residue • No Shake Formula

Kills Fleas & Ticks, Home Invading Pests , Spiders, Centipedes, Scorpions, Pantry Pests • Kills Roaches, Ants and Fleas on Contact • For Use On House Plants, Ornamental Plants • Kills Plant Pests, Aphids, Mealy Bugs, Lace Bugs, Thrips, Leafminers, Mites,

Spider Mites, Japanese Beetles

For Use In and Around Horse Stables

Not for Use on Plants Grown for Sale or other Commercial Use

ITEM #206-W

## **ACTIVE INGREDIENT:**

Deltamethrin [CAS 52918-63-5]... 0.03% OTHER INGREDIENTS:..... 99.97% **TOTAL** 100.00%



CAUTION

See side panels for additional Precautionary Statements.

**NET CONTENTS: ONE GALLON (U.S.) 3.785 Liters** 

**KEEP OUT OF REACH OF CHILDREN** 

EPA REG. NO. 45385-97-56 EPA EST. NO. 45385-OH-01

## PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

## CAUTION

Contact with product may result in transient tingling and reddening of the skin. Avoid contact with skin or clothing.

FIRST AID	
IF SWALLOWED:	Immediately call a Poison Control Center or doctor. Do not induce vomiting unless told to by a Poison Control Center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a Poison Control Center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a Poison Control Center or doctor for treatment advice.
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible. Call a Poison Control Center or doctor for further treatment advice.
Have this product container or label with you when calling a Poison Control	

Center or doctor or when going for treatment.

HOT LINE: You may also call 1-800-858-7378 for emergency medical treatment advice.

#### **ENVIRONMENTAL HAZARDS**

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not dump leftover pesticide or rinse water into drains or sewers. BEE WARNING: This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

#### PHYSICAL OR CHEMICAL HAZARDS

Do not apply this product in or on electrical equipment due to possibility of shock hazard.

BAYGON® is Registered Trademark of BAYER Environmental Sciences Corp. Mkt. J.T. EATON & CO., INC., 1393 East Highland Road, Twinsburg, OH 44087 • U.S.A JT EATON™ is a trademark of J.T. EATON & CO., INC. ©2006 09.19.2005/03.23.2006 • FNW206320JTA

## STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store this product in its original container in a dry, cool, secured area. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. PESTICIDE DISPOSAL: As a responsible environmental practice, where possible, it is recommended that all of the contents of the container be used, carefully following label directions and precautions.

CONTAINER DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local waste agency or 1-800-253-2687 for disposal instructions. Never place unused product down any indoor or outdoor drain. SPILL: In case of spill, absorb liquid with absorbent material such as soil or clay, etc. sweep up and dispose of material according to PESTICIDE DISPOSAL - IF PARTLY FILLED directions above.

#### DIRECTIONS FOR USE

It is a violation of the Federal Law to use this product in a manner inconsistent with its labeling.

General Information (for unit furnished with a sprayer, hold container upright and turn nozzle to "on" position) For the Refill Container or product without sprayer attached place JT EATON INSECT SPRAY in a suitable sprayer and apply according to directions for use. Do not spray up into air. Apply this product only to surfaces as a spot and crack & crevice treatment. Hold approximately 12 inches from surface to be sprayed. Squeeze trigger to spray until surface is slightly moist. JT EATON INSECT SPRAY's long-lasting action keeps on killing for up to 16 weeks after you spray. Contact kill gives you immediate results when spraying insects directly, while residual activity kills insects when they return to treated areas.

JT EATON INSECT SPRAY is intended to be used in and around residences and their immediate surroundings such as, (but not limited to), Apartments, Atriums, Attics, Automobiles, Basements, Bathrooms, Boats, Cabins, Campers, Carports, Cat Sleeping Quarters, Clothes Storage, Condominiums, Decks, Dens, Driveways, Garages, Gazebos, Homes, Kitchens, Lanais, Living Rooms, Parlors, Patios, Pet Sleeping Areas, Play Rooms, Porches, Recreational Vehicles, Solariums, Storage Areas, Sun Rooms, Utility Rooms, and Verandas. Do not use in commercial food handling establishments, restaurants or other places where food is commercially prepared, processed, or served.

#### FOR USE INDOORS:

COCKROACHES (including adult and immature stages of both non-resistant and organophosphate and carbamate resistant strains), Ants, Boxelder Bugs, Centipedes, Crickets, Firebrats, Fleas, Silverfish, Sow Bugs, Ticks and Waterbugs. Apply as a spot and crack & crevice treatment to areas where these pests crawl and hide; especially in hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves drawers, bookcases, and similar areas. Remove all exposed food and cooking utensils. Cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Exposed food should be covered or removed. Repeat as necessary but not more than once per week.

ROACHES: Spray in cracks and crevices, around baseboards and other hiding places.

ANTS: Spray around ant trails, doors and windows and other places where ants enter the house. Repeat as necessary but not more than once per week.

CARPENTER ANTS: For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises

## **DIRECTIONS FOR USE (continued)**

and where they crawl and hide. Spray into infested wood through existing openings.

TICKS (Including ticks that may cause Lyme disease) and Fleas on Surfaces: Remove pet bedding and destroy or clean thoroughly. Spray pet resting quarters. Adult fleas and larvae contacted by spray will be killed.

Put fresh bedding down once spray has dried. Do not spray animals directly. For best results, pets should be treated with an appropriate flea and/or tick control product registered with EPA for use on pets before allowing them to return to the treated area. Spray rugs and carpets where infestations are bad. Delicate fabrics should be tested for staining in an inconspicuous area prior to use.

**SPIDERS:** Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

CENTIPEDES, GROUND BEETLES, PILLBUGS, SOW BUGS, SCORPIONS AND TICKS: Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

SILVERFISH, CRICKETS, SPIDERS: Apply to areas infested by these pests.

FLYING INSECTS: Houseflies, Gnats, Mosquitoes and Small Flying Moths: Spray localized resting areas, such as under eaves, porches, inside surfaces of window and door frames, surfaces around light fixtures and cords, railings, etc. and anywhere these insects may rest. Spray nesting areas. Insects coming to rest on treated surfaces will be killed.

HORSE STABLES: To Control Houseflies, Mosquitoes and Gnats. Apply thoroughly to surfaces until wet. Insects coming to rest on treated surfaces will be killed or repelled. Repeat treatment as necessary but not more than once per week. Do not spray animals or humans, or apply to animal feed or watering equipment.

PANTRY PESTS - Grain Beetles (Rusty, Merchant and Sawtoothed), Flour Beetles (Red and Confused), Cigarette Beetles, Clover Mites, Drugstore Beetles, Elm Leaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths: Treat exposed stages. Remove all food stuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow to dry prior to replacement of shelf paper, food and utensils. Wash any exposed food handling surfaces and utensils before use.

CARPET BEETLES (BLACK, FURNITURE AND VARIED): Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

**WEBBING CLOTHES MOTHS:** Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

**BEDBUGS:** Remove linens and wash before reuse. Lightly spray mattresses, especially tufts, folds and edges. Apply to the interior of the frame. Allow to dry before remaking bed.

### **OUTDOORS:**

Remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment and before use. Do not use on edible crops. Point sprayer away from face. Hold sprayer on a slant downward angle, approximately

12 inches from surface to be sprayed. Spray with wind if breeze is blowing. Do not contaminate fish ponds or apply directly to water.

**PESTS ON OUTSIDE SURFACES OF BUILDINGS:** For control of building infestation to **Ants, Clover Mites, Crickets and Sow Bugs (Pillbugs).** Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply to outside surfaces of buildings where insects tend to congregate. Spray areas including, (but not limited to), screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary but not more than once per week.

CRAWLING INSECTS: Ants, Cockroaches (including Asian Cockroaches), Centipedes, Crickets, Mole Crickets, Waterbugs and Silverfish. Spray infested surface of patio or picnic area. Also spray legs of tables and chairs.

#### **FOR USE OUTDOORS:**

**ANTS:** Spray freely around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray freely on and around debris. Repeat as necessary but not more than once per week.

LONE STARTICKS, DOG TICKS, CRICKETS AND FLEAS: Apply thoroughly to infestation in bushes, grass or weeds. Retreat weekly if necessary.

**WASPS, HORNETS, YELLOWJACKETS AND BEES:** Spray nests and other surfaces where bees may rest. Aim spray at nest openings. Applications should be made late in the evening when insects are at rest.

FLYING INSECTS: Houseflies, Gnats, Mosquitoes and Small Flying Moths:
Spray outside surfaces of windows and door frames and other areas where these
pests may enter the home. Also spray localized resting areas such as under eaves,
porches, surfaces around light fixtures and cords, railings, etc. where these insects
may rest. Insects coming to rest on treated surfaces will be killed.

**TERMITES, CARPENTER ANTS AND CARPENTER BEES:** (For localized control only.) Apply JT EATON INSECT SPRAY to voids or channels in damaged wood of a structure, or to cracks, crevices and spaces in and between wood portions of a structure or between wood portions of the foundation in locations vulnerable to attack such as crawl spaces. Retreat if needed but not more than once per week. **For termites,** the purpose of such applications is to kill workers or winged forms which may be present in the treated areas at the time of application. Not recommended as sole protection against termites. For active infestations, get a professional inspection. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but are merely a supplement.

HOUSE PLANTS: To Control Aphids, Japanese Beetles, Lace Bugs, Leafminers, Mealy Bugs, Mites and Spider Mites on house plants. Prior to spraying, remove plants from living and eating areas. Put in an area not likely to come in contact with pets, children or food. Plants can be returned to original location when leaves dry. If plants cannot be moved, cover or remove exposed food and food handling surfaces. Avoid spraying surrounding areas. Apply spray to upper and lower surfacer of foliage. Avoid wetting blossoms if possible. Repeat applications as necessary but not more than once per week.

FOR CONTROL OF ORNAMENTAL GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as Whiteflies, Aphids, Army Worms, Lace Bugs, Mealy Bugs, Exposed Thrips, Pavement Ants, Spiders, Spider and Red Mites, Clover Mites and Leafminers. May be used on plants, as well as a multipurpose spray in small ornamental gardens and for spot treatments to prevent insects from spreading into large garden areas. May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, delphiniums, dogwood, English ivy, euonymus fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, rubber plants, snapdragons, stocks, wandering Jew, and zinnias. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new foliage. Do not spray plants when temperatures exceed 90°F. DO NOT apply to vegetable plants or other plants used for food. Spray insects directly, whenever possible. Repeat treatment as necessary but not more than once per week.

#### **WARRANTY STATEMENT**

Our recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such, or the results to be obtained if not used in accordance with directions or established safe practices. The buyer must assume all responsibility for, including injury or damage, resulting from its misuse as such, or in combination with other materials.